

COVID-19 Risk Assessment

Risk List

| Risk | Y/N | If yes, what control measures have been put in place? | Risk Score |
|--|-----|---|------------|
| Does the nature of the production require staff to come into contact with a person(s) who is currently known to have COVID-19, to have COVID-19 symptoms, or who should otherwise be isolating? | | | |
| Does the nature of the production require staff to enter the same room as a person(s) who is currently known to have COVID-19, to have COVID-19 symptoms, or who should otherwise be isolating? | | | |
| Does the nature of the production require staff to visit a location with local COVID-19 restrictions that are tighter than the current, default national restrictions in England? (If yes, what measures are being put in place to ensure safety and compliance?) | | | |
| Will appropriate PPE for preventing the spread of COVID-19 be available for all members of the production team? (Such as face coverings and hand sanitiser.) | | | |
| Can social distancing be maintained between all people involved with the production at all times? | | | |
| If filming indoors, will multiple people be in one room at the same time? | | | |
| If filming indoors, is there adequate ventilation to reduce the risk of aerosol infection? | | | |
| If filming on location, does the travel method and any necessary accommodation pose a risk? | | | |
| Will there be any shared use of any equipment whilst on filming? (e.g. putting a microphone on a contributor.) | | | |
| | | | |
| | | | |
| | | Total | 0 |

Project Details

| | |
|--|--|
| Project Name | |
| Date | |
| Location | |
| Crew | |
| Client | |
| Total Number of People Expected On Site | |
| | |
| Risk Assessment Completed By | |
| Risk Assessment Date | |
| Checked By | |

Risk Assessment Version 2

Risk Score Key

- 0 = No Risk Of Infection/Spread
- 1 = Minimal Risk Of Infection/Spread
- 2 = Moderate Risk Of Infection/Spread
- 3 = High Risk Of Infection/Spread

IMPORTANT

If the total is higher than **9**, you must halt all activity immediately.

er: